**CONTINUE ON REVERSE** 

EPA Form 8700-12 (6-80)

	Dr. S. Night - Salah S. Tabasa .		al sheets if necessary.		
1	2	3	4	5	6
7	8 8	9	10	23 - 26	12
23 - 26	23 - 26	23 - 26	23 - 26	23 - 26	23 - 26
ZARDOUS WASTES	S FROM SPECIFIC SOU	RCES. Enter the four-open Use additional sheet	digit number from 40 Cl	FR Part 261.32 for each	listed hazardous waste
13	14	15	16	17	18
			11 11 11 11		
23 - 26	23 - 26	23 - 26	23 - 26	23 - 26	23 - 26
19	20	21	22	23	24
					Aran III
23 - 26	23 - 26	23 - 26	23 - 26	23 - 26	23 - 26
75	1111		20	29	30
22 - 24			23 - 26		
31	handles which may be a	33	34	35	36
37	38	39	40	23 - 26	23 - 26
23 - 26	23 - 26	23 - 26	23 - 26	23 - 26	23 - 26
43	44	45	46	47	48
23 2 36	23 - 26	23 - 26	23 - 26	23 - 26	
	WASTES. Enter the four esearch laboratories your		CFR Part 261.34 for ea	ch listed hazardous wast	e from hospitals, veter
49	50	51	52	53	54
23 - 26	23 - 26	23 - 26	23 - 26	23 - 26	23 - 26
	F NON-LISTED HAZA nstallation handles. (See			esponding to the charact	eristics of non-listed
☐1. IGNITA	BLE	2. CORROSIVE	☐3. REA	CTIVE	4. TOXIC
(D001)		002)	(D003)		(D000)
RTIFICATION					42444
rtify under penalt	ly of law that I have and that based on my	inquiry of those inc	lividuals immediately	h the information su responsible for obta that there are signif	ining the informati

EPA Form 8700-12 (6-80) REVERSE

